according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

PU Resin 8805 5% (ex LD 44 5%)

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Resins (prepolymers): Polyol component for the production of polyurethanes

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Kisling Deutschland GmbH		
Street:	Waldstraße 15		
Place:	D-71139 Ehningen		
Telephone:	+49 79405096161		
e-mail (Contact person):	info@kisling.com		
1.4. Emergency telephone	+49 79405096161		

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



### Hazard statements

H319

Causes serious eye irritation.

#### Precautionary statements

· · · · · · · · · · · · · · · · · · ·	
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
2.3. Other hazards	

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 2 of 8

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
144-19-4	2,2,4-Trimethylpentane-1,3-diol			5 - < 10 %
	Eye Irrit. 2; H319			
115-84-4	2-Butyl-2-ethylpropanediol		5 - < 10 %	
	204-111-7			
	Eye Irrit. 2; H319			
77-99-6	Trimethylolpropane			1 - < 5 %
	201-074-9		01-2119486799-10	
	Repr. 2; H361fd			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 3 of 8

### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

## Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Resins (prepolymers): Polyol component for the production of polyurethanes

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 4 of 8

recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## Skin protection

Use of protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Changes in the physical state	
Melting point/freezing point:	not determined
Boiling point or initial boiling point and poiling range:	not determined
Flash point:	not determined
Flammability Solid/liquid:	not applicable
Gas:	not applicable
Explosive properties The product is not: Explosive.	
ower explosion limits:	not determined
Jpper explosion limits:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
bH-Value:	not determined
/iscosity / dynamic: (at 22 °C)	850 - 950 mPa·s
Water solubility:	The study does not need to be conducted because the substance is known to be
Solubility in other solvents	insoluble in water.
not determined	
Partition coefficient n-octanol/water:	not determined
/apour pressure:	not determined
Density (at 22 °C):	1,05 - 1,10 g/cm³
Relative vapour density:	not determined
Other information	
nformation with regard to physical h	azard classes
Dxidizing properties The product is not: oxidising.	
Other safety characteristics	
Solid content:	not determined



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 5 of 8

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

### Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The product has not been tested.



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 6 of 8

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:

Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> 14.4. Packing group:

### Marine transport (IMDG)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group:

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 7 of 8

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 75 Information according to 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

## National regulatory information

# Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container



according to Regulation (EC) No 1907/2006

## PU Resin 8805 5% (ex LD 44 5%)

Revision date: 21.02.2023

Product code: 88055

Page 8 of 8

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Classification for mixtures and used evaluation method according to regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
	· · · · · · · · · · · · · · · · · · ·

## Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

Suspected of damaging fertility. Suspected of damaging the unborn child.

### **Further Information**

H361fd

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)